

AT2020 USB
Microphone

Set-up and Operation

Compliance with FCC rules (USA only)

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions:(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC WARNING

You are cautioned that any changes or modifications not expressly approved in this manual could void your authority to operate this equipment.

Canada only

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB -003 du Canada.

AT2020 USB Cardioid Condenser Microphone

Introduction

Thank you for buying the Audio-Technica AT2020 USB cardioid condenser microphone. Designed for computer-based recording, this microphone is ideal for digitally capturing music or any acoustic audio source using your favorite recording software.

Equipped with a USB digital output, the AT2020 USB offers studio-quality articulation and intelligibility perfect for home studio recording, field recording, podcasting, and voiceover use.

Based on the design of Audio-Technica's critically acclaimed AT2020 cardioid condenser microphone, The AT2020 USB features a low-mass diaphragm, custom-engineered for extended frequency response and superior transient response. Audio-Technica's state-of-the-art design and manufacturing techniques ensure that the microphone complies with the company's renowned consistency and reliability standards.

Features

- Side-address studio condenser with USB digital output
- Ideal for podcasting, home studio recording, field recording, and voiceover use
- Compatible with Windows and Mac
- Custom-engineered low-mass diaphragm provides extended frequency response and superior transient response
- Cardioid polar pattern reduces pickup of sounds from the sides and rear, improving isolation of desired sound source
- Low self-noise – perfectly suited for sophisticated digital recording equipment
- Pivoting, threaded stand mount attaches securely for easy and precise placement of the microphone
- Tripod desk stand with folding legs for secure and easily portable tabletop use


Mac and GarageBand are trademarks of Apple Inc., registered in the U.S. and other countries. Windows is a registered trademark of Microsoft Corporation in the U.S. and other countries.

Setting up your microphone with included pivot mount and tripod desk stand

1. Screw the pivot mount onto the top of the tripod desk stand.
2. Place the tripod desk stand on a flat surface. (The tripod legs will extend to provide a wide, secure base.)
3. Install the AT2020 USB microphone into the threaded collar of the pivot mount and tighten collar while holding the microphone in place. The front of the microphone should be facing the sound source. (A USB icon and blue LED indicate the front of the microphone; the product model number is displayed on the rear of the microphone.)
4. If necessary, adjust the microphone's angle with the pivot mount's thumbscrew.
5. Plug the provided USB cable into the USB digital output at the base of the microphone.


Preliminary setup with Mac OS X

1. Plug the free end of the provided USB cable into the USB port on your computer. The microphone's blue LED will illuminate, indicating the microphone is receiving power. Your computer will automatically recognize the USB device and install a driver.
2. To select the AT2020 USB as your audio input, first, open your **System Preferences**.




Preliminary setup with Mac OS X (continued)

3. Next, click **Sound** to display the Sound preference pane.



4. Click the **Input** tab and select the **AT2020 USB** as the device for sound input.




Your preferences are now set to use the AT2020 USB on your Mac with GarageBand or another recording program of your choice.


Preliminary setup with Windows XP

(Service Pack 2; other operating systems may vary slightly)

1. Plug the free end of the USB cable into the USB port on your computer. The microphone's blue LED will illuminate, indicating the mic is receiving power. Your computer will automatically recognize the USB device and install a driver.
2. In the lower right portion of your screen you may see a message that new hardware was found; or you may see a driver software installation notice.
3. To select the AT2020 USB as your default recording device, begin at your **Start** menu. Select **Control Panel**.




4. Select Sounds and Audio Devices.




Preliminary setup with Windows XP (continued) (Service Pack 2; other operating systems may vary slightly)

5. Select the **Audio** tab, and choose **AT2020 USB** as the default device.
6. Adjust computer volume by clicking on the **Volume** button beneath Sound recording Default device.




7. Through the **Wave In** window, you can set the computer volume or mute the microphone.




Your preferences are now set to use the AT2020 USB with Windows XP with the recording program of your choice.

Preliminary setup with Windows Vista

1. Plug the free end of the USB cable into the USB port on your computer. The microphone's blue LED will illuminate, indicating the mic is receiving power. Your computer will automatically recognize the USB device and install a driver.
2. In the lower right portion of your screen you may see a message that new hardware was found; or you may see a driver software installation notice.
3. To select the AT2020 USB as your default recording device, begin at your **Start** menu. Select **Control Panel**.
4. Select (double-click) **Sound**.



5. Select the **Recording** tab. Make sure that the **AT2020 USB** microphone is set as the default recording device. (You should see a green check mark beside the USB microphone icon.)



Setting your software levels

Correct adjustment of microphone level is important for optimum performance. Ideally, the microphone level should be as high as possible without overloading the input of your computer. If you hear distortion, or if your recording program shows levels that are consistently overloaded (at peak levels), turn the microphone volume (or level) down, either through your control panel (or system preferences) settings, or through your recording software. If your recording program shows insufficient level, you can increase the microphone gain either from the control panel (or system preferences) settings or through your recording program.

No further microphone level adjustments should be needed, as long as the acoustic input does not change significantly.

Positioning your microphone

It is important to position the microphone directly in line (on axis) with the person speaking/singing or instrument (or other sound source) to achieve the best frequency response of the microphone.

For use in speaking/singing applications, the ideal placement for the microphone is directly in front of the person speaking/singing. The same placement is optimal when miking an instrument such as an acoustic guitar, drums or piano. Experiment with different mic placements to find the best sound for your particular setup.

Protecting your microphone

Avoid leaving your microphone in the open sun or in areas where temperatures exceed 110° F (43° C) for extended periods. Extremely high humidity should also be avoided.

AT2020 USB Specifications†

EN

ELEMENT	Fixed-charge back plate permanently polarized condenser
POLAR PATTERN	Cardioid
FREQUENCY RESPONSE	20-16,000 Hz
POWER REQUIREMENTS	USB Power (5V DC)
BIT DEPTH	16 bit
SAMPLE RATE	44.1 kHz
WEIGHT	374 g (13.2 oz)
DIMENSIONS	162.0 mm (6.38") long, 52.0 mm (2.05") maximum body diameter
OUTPUT CONNECTOR	USB-type connector
ACCESSORIES FURNISHED	Pivoting stand mount for 5/8"-27 threaded stands; 5/8"-27 to 3/8"-16 threaded adapter; soft protective pouch; tripod desk stand; 3.1 m (10') USB cable
SYSTEM REQUIREMENTS	Macintosh: Mac OS X; USB 1.0 or 2.0; 64 MB RAM (minimum) Windows: XP Home Edition or XP Professional; USB 1.0 or 2.0; 64 MB RAM (minimum)

†In the interest of standards development, A.T.U.S. offers full details on its test methods to other industry professionals on request.
Specifications are subject to change without notice.



Audio-Technica U.S., Inc.

1221 Commerce Drive, Stow, Ohio 44224 USA +1 (330) 686-2600

Audio-Technica Limited

Old Lane, Leeds LS11 8AG England +44 (0) 113 277 1441

Audio-Technica (Greater China) Limited

Unit K, 9/F., Kaiser Est. (Ph.2) 51 Man Yue St. Kowloon, HK. +852-2356-9268

Audio-Technica (S.E.A.) Pte. Ltd.

623 Aljunied Road, #04-10, Aljunied Industrial Complex, Singapore 389835
+65-6749-5686

Audio-Technica Taiwan Co., Ltd.

25-28 Colin, Chungli-city, Taoyuan-county, Taiwan 32050, R.O.C.
+886-3-498-5831

Audio-Technica Corporation

2206, Naruse Machida, Tokyo Japan

www.audio-technica.com

©2008 Audio-Technica U.S., Inc.

Printed in China Imprimé en Chine Impreso en China Impresso na China Stampato in Cina
Gedruckt in China

P52022